

Table 11.1: Population Estimates of Adult Treatment Need by County and Gender, Hawaii 1998

| | County | | | | | | | | | |
|---|-----------|---------|----------|---------|--------|--------|--------|--------|--------|--------|
| | Statewide | | Honolulu | | Hawaii | | Kauai | | Maui | |
| | male | female | male | female | male | female | male | female | male | female |
| Estimated total population (18 years and over) | 437,274 | 458,140 | 329,006 | 339,518 | 47,191 | 52,750 | 19,792 | 21,512 | 41,286 | 44,359 |
| Percent needing treatment for alcohol only | 8.02% | 7.39% | 7.35% | 7.39% | 12.2% | 7.44% | 6.40% | 5.57% | 9.39% | 8.16% |
| Estimated population needing treatment for alcohol only | 35,077 | 33,849 | 24,178 | 25,107 | 5,757 | 3,925 | 1,266 | 1,197 | 3,876 | 3,620 |
| Percent needing treatment for drugs only | 1.84% | 1.29% | 1.35% | 1.15% | 3.41% | 1.67% | 2.78% | 1.15% | 3.47 | 2.02% |
| Estimated population needing treatment for drugs only | 8,030 | 5,924 | 4,437 | 3,901 | 1,612 | 882 | 550 | 246 | 1,432 | 894 |
| Percent needing treatment for both alcohol and drugs | 0.94% | 0.59% | 0.80% | 0.67% | 1.86% | 0.21% | 0.87% | 0.65% | 1.17 | 0.42% |
| Estimated population needing treatment for both alcohol and drugs | 4,129 | 2,709 | 2,618 | 2,270 | 876 | 111 | 172 | 141 | 463 | 186 |
| Percent needing treatment for alcohol and/or drugs | 9.86% | 8.68% | 8.70% | 8.54% | 15.61% | 9.11% | 9.17% | 6.71% | 12.86 | 10.18% |
| Estimated population needing treatment for alcohol and/or drugs | 43,107 | 39,773 | 28,615 | 29,008 | 7,368 | 4,806 | 1,815 | 1,444 | 5,308 | 4,514 |

Table 11.2: Estimate Of Adult Dependence and Abuse Of Alcohol and Other Drugs By County, Hawaii 1998

| | County | | | | | | | | | |
|---|------------------------|-----------|-----------------------|-----------|--------------------|-----------|-------------------|-----------|------------------|-----------|
| | Statewide N=895,414 | | Honolulu N=668,524 | | Hawaii N=99,941 | | Kauai N=41,304 | | Maui N=85,645 | |
| | Percent | Pop. Est. | Percent | Pop. Est. | Percent | Pop. Est. | Percent | Pop. Est. | Percent | Pop. Est. |
| Diagnosed as Definite Dependence on: | | | | | | | | | | |
| Alcohol | 5.34% | 47,797 | 5.16% | 34,470 | 6.65% | 6,647 | 4.15% | 1,713 | 5.80% | 4,968 |
| Marijuana | 1.00 | 8,914 | 0.76 | 5,061 | 1.91 | 1,906 | 1.30 | 538 | 1.65 | 1,410 |
| Hallucinogens | 0.78 | 6,955 | 0.69 | 4,580 | 1.11 | 1,110 | 1.40 | 577 | 0.80 | 687 |
| Cocaine | 0.10 | 876 | 0.07 | 462 | 0.11 | 111 | 0.00 | 0 | 0.35 | 302 |
| Heroin | 0.32 | 2,884 | 0.31 | 2,044 | 0.19 | 192 | 0.10 | 40 | 0.71 | 607 |
| Methamphetamine | 0.17 | 1,518 | 0.13 | 856 | 0.38 | 383 | 0.40 | 166 | 0.13 | 113 |
| Diagnosed as Abusing, or Diagnosed with Indeterminate Dependence on¹: | | | | | | | | | | |
| Alcohol | 3.43 | 30,725 | 3.27 | 21,837 | 4.56 | 4,558 | 2.79 | 1,154 | 3.71 | 3,178 |
| Marijuana | 0.04 | 387 | 0.00 | 0.00 | 0.18 | 172 | 0.10 | 43 | 0.20 | 171 |
| Hallucinogens | 0.14 | 1,259 | 0.13 | 913 | 0.07 | 70 | 0.00 | 0.00 | 0.32 | 276 |
| Cocaine | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Heroin | 0.03 | 264 | 0.03 | 173 | 0.00 | 0.00 | 0.08 | 32 | 0.07 | 59 |
| Methamphetamine | 0.04 | 386 | 0.06 | 386 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |

¹ This category reflects the total number of people diagnosed with a substance *abuse* disorder or having been diagnosed with an indeterminate dependence on a substance. An indeterminate diagnosis is an intermediate DSM-III-R category between the diagnosis of abuse and definite dependence.

Table 11.3: Current and Lifetime Diagnoses by County: Hawaii 1998

Table 11.4: Current and Lifetime Diagnoses by Age and Gender: Hawaii 1998

Table 11.5: Current and Lifetime Diagnoses by Ethnicity: Hawaii 1998